



HEAVY DUTY AMS SYSTEMS

System features Hourglass® Connectors

- ## FEATURES
- Protects cables and hoses up to 2.25" outside dia.
 - Connect unlimited center sections and add ramps
 - Hourglass® Connectors to extend to any length
 - 5 or 3-Channel Systems available
 - Hinged lid for easy cable placement
 - Patented technology with modular interlocking design

YELLOW JACKET HEAVY DUTY 5-CHANNEL AMS® SYSTEM



Hourglass® Connector

The YELLOW JACKET® 5-CHANNEL AMS® (Advanced Modular System) is patented technology that utilizes separate cable protector sections and ramps to create a system that is fully expandable to hold an unlimited number of cables. By detaching the ramps, you can also quickly add cable runs and ADA compatible side ramps to existing systems. The Yellow Jacket AMS readily handles heavy truck and bus traffic while providing easy access for pedestrians, carts and wheelchairs. Hinged lids make for easy loading of cables and hoses.



Protects cables and hoses up to 1.25" outside diameter

Lid/Base Color Options



Yellow/Black = Y/B


LOAD CAPACITY

Max load tested at 70°F (21°C)


16,300 lb./Tire (7,393 kg)
32,600 lb./Axle (14,787 kg)

"System" includes 1 AMS Center Section and 1 pair of Ramps

AMS CENTER SECTION - YJ5-125-AMS-CTR



AMS RAMPS - YJ5-125-AMS-F-B / YJ5-125-AMS-M-B



*NOTE: Center channel width is 1.65 in. (4.19 cm)

Interconnects are required to connect YJ5-AMS to YJ5x125

"System" includes 1 AMS Center Section and 1 pair of Ramps

	MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	D: CHANNEL WIDTH*	E: MAXIMUM OD	MAXIMUM OD
AMS SYSTEM	YJ5-125-AMS	36 in. (91.44 cm)	19.75 in. (50.17 cm)	2 in. (5.08 cm)	1.375 in. (3.49 cm)	1.25 in. (3.18 cm)	29.35 lb. (13.3 kg)
AMS CENTER SECTION	YJ5-125-AMS-CTR	36 in. (91.44 cm)	11.75 in. (29.85 cm)	1.875 in. (4.76 cm)	1.375 in. (3.49 cm)	1.25 in. (3.18 cm)	16.65 lb. (7.6 kg)
AMS RAMP FEMALE	YJ5-125-AMS-F-B	36 in. (91.44 cm)	5.125 in. (13.02 cm)	2 in. (5.08 cm)	N/A	N/A	7.35 lb. (3.3 kg)
AMS RAMP MALE	YJ5-125-AMS-M-B	36 in. (91.44 cm)	5 in. (12.7 cm)	2 in. (5.08 cm)	N/A	N/A	5.35 lb. (2.4 kg)
INTERCONNECT	YJ5I-125	17.88 in. (45.4 cm)	19.75 in. (50.17 cm)	1.875 in. (4.76 cm)	-	-	M: 16 lb. (7.3 kg) F: 15.6 lb. (7.1 kg)

U.S. Patent No: 7,309,836

